
Exterior 2.3 Essential

Range of Decors / Release April 2023

For you to create

Fundermax



Contents

Sustainability and the Environment **4**
Exterior 2.3 | Essential Collection **6**
Products **46**
Fundermax Individual Solutions **52**
Exterior Pro Collections **58**

Note: The delivery programme is included with this brochure as an insert.


Fundermax

No matter whether it's furniture, facades, or interior design: where ideas and materials meet, you'll find Fundermax. As a global market leader in the field of compact panels and a manufacturer of high-quality wood-based materials and laminates, the company is proud to look back on a history spanning 130 years. The continued success is based on the highest quality, innovative and varied design, and sustainable production. Made in Austria—with great love for wood as a natural material, creations, and imagination.

- modern production facilities in Austria and Norway
- around 1,400 employees
- annual sales of €430 million
- part of Constantia Industries AG
- The Austrian Excellence Award (2018)

More than boards.


1 Sustainability and the Environment



Offering high-quality wood based compact, and HPL panels with various decors, Fundermax positions itself at the very heart of the architecture of a building. We design and manufacture a broad spectrum of products made from natural materials that are easy to work with, in order to provide architects, designers, facade designers, interior designers, and industrial companies with solutions that stand the test of time.

Fundermax has been processing natural materials with precision and love for 130 years. Today, we are manufacturers of high-quality timber composite materials and a global leader in compact laminates for both internal and external applications. Fundermax stands for nothing less than top quality and excellent design.








100% wood and paper




comes from sustainable and certified forestry management.

10,000 t CO_2



saved every year

100% green electricity



generated during production.

This and much more is what makes Fundermax a sustainable company, always looking to the future.

Find out more in our Sustainability Brochure via this **QR code**.

Sustainability Brochure

2 Exterior 2.3 | Essential Collection

Fundermax Exterior is synonymous with product quality, sustainability, innovation, and design freedom. We developed the overarching new Exterior 2.3 collection in collaboration with international architects and our experienced teams. In order to accommodate your project requirements, we divided it into two subcollections. In the Essential collection, the focus is on maximum choice of decorative finishes and efficiency. In the Pro Surface collection, it's all about design using surface textures and visual effects. For maximum design freedom, there's Fundermax Individual. Create your very own design using Fundermax custom printing or add accents by machining a design directly onto the material surface without the need for further processing. Whatever form your idea takes, the Exterior 2.3 collection from Fundermax opens up a whole world of design possibilities.

For you to create.

Exterior 2.3 Essential

Exterior 2.3 | Essential combines maximum decor choice with maximum size choice.

All of the decors in this collection are supplied in the following five sizes and with the NT surface:

- 2,800 x 1,300 mm =3.65 m^2
- 4,100 x 1,300 mm = 5.33 m^2
- 3,670 x 1,630 mm = 5.98 m^2
- 2,800 x 1,854 mm = 5.19 m^2
- 4,100 x 1,854 mm = 7.60 m^2

For details, see the delivery programme insert.

NT surface

A silky matte effect creates a delicate shimmer and, together with the fine hammered texture, the result is an aesthetic overall appearance.



Colour

Architecture means providing perspectives and having a powerful influence on public perception.

In our Exterior 2.3 | Essential Colour range, you'll find a full spectrum of colours to allow the message of the architecture to be conveyed in a stand-alone way that makes it one of a kind.

For you to create.



0080 Black

0091 Starlight

0085 White

0070 Carbon Grey

0776 Concrete Grey

0753 Cool Grey Medium



0074 Pastel Grey

0075 Dark Grey

0077 Charcoal

1203 Grey

0762 Neutral Grey Medium

0900 Dark Cyber Grey



0747 Medium Grey

0741 Birch Grey

0742 Pebble Grey

0887 Dark Offroad Greige

2206 Fango

0071 Fresko



2289 Tortora

0144 Costa

0768 Sparrow

0153 Burano

0657 Sepia Brown

0875 Chocolate Brownie



0645 Tobacco

0098 Mandola

0081 Alpaka

0627 Hygienic Beige

0651 Cream

0733 Hygienic White



0073 Pale Ivory

0851 Winter White

0066 Sand



0864 Mustard


0654 Jasmin

0065 Ivory

0865 Lemon

0647 Golden Yellow

0687 Maize



0736 Saffron


5032 Cinnamon

0873 Red Pepper

0661 Terracotta

0691 Purple

0874 Maroon



3007 Black Red


0680 Wine Red

0020 Ballerina

3003 Rubinus Red

0689 Dark Red

0674 Mars Red



0717 Atlantic

0237 Gentian Blue

0702 Night Blue

0706 Glacier Blue

0703 Dove Blue

0712 Steel Blue



0631 Turquoise

0617 Petrol Green

0056 Atlantis

0059 Dark Green

0662 Jade Green

0663 Reseda Green



0592 Kiwi Green

0849 Frosted Green

0623 Green

0725 Yellowish Green

0850 Green Valley

0591 Fir Green

Nature

Whatever people put together in terms of colour, shape, and texture, the world around us has already long since created it in one form or another. There is so much to discover, and most of it will be found in the smallest details.

In our Exterior 2.3 | Essential Nature range, you'll find both bold and subtle wood textures and shades for your project.


For you to create.




0907 Graphite Flagship Oak



0908 Grey Flagship Oak



0925 Butterfly



0801 Fir Platinum



0936 Thunder



5172 Marshland Oak



0869 Smoked Marvel Walnut



0847 Smoked Jazz Oak



0909 Brown Flagship Oak

0932 Akro Terra

0824 Brown Bistro Oak

0901 Dark Rainbow Rosewood



0870 Dark Honey Marvel Walnut



5173 Barrique Oak



0846 Caramel Jazz Oak




0820 Hazel Heritage Oak



0919 Ecuador



0935 Voyager



5171 Polar Oak



0868 Caramel Marvel Walnut




0923 Enigma




0125 Natural Oak



0931 Akro Almond




0927 Creek



0924 Taurus



0922 Amazon



0803 Tyrol Pine

0601 Sun Pear

0168 Akro Rust

0169 Akro Ruby



0160 Dark Afro



0161 Light Afro



0162 Afro Sahara

Material

Witness the unyielding power of nature, strong accents, and smooth textures in natural harmony, moving within itself, constantly in motion. It's a fascinating interplay of texture, colour, and material.

In our Exterior 2.3 | Essential Material range, you'll find designs that reveal something new every time you look at your project.

For you to create.



0496 Colosseum



0421 Venus



0426 Loft


0394 Moonwalk

0861 Grey Eclipse Quartzstone

0497 Stonehenge



0793 Patina Tin



0027 Prado Agate Grey



0026 Prado Alu Grey



0808 Desert Rose Sandstone



0406 Rockstar



0805 Cosmopolis



0794 Patina Bronze



0429 Corro



0028 Prado Brown

0603 Ardens

0798 Tambora

0386 Blues




0159 Afro Black



0804 Metropolis



0799 Blackjack



0428 Cave



0158 Afro Grey



0894 Black Pearl Concrete



0903 Urban Galaxy Limestone




0902 Black Stingray Limestone



0898 Porto Nero Slate



0427 Skyline



0860 White Blizzard Quartzstone



0897 Grey Cliffhanger Slate



0427 Skyline

Decor overview




0907 Graphite Flagship Oak
0908 Grey Flagship Oak
0925 Butterfly
0801 Fir Platinum
0936 Thunder
5172 Marshland Oak
0869 Smoked Marvel Walnut
0847 Smoked Jazz Oak
0909 Brown Flagship Oak
0820 Hazel Heritage Oak
0919 Ecuador
0935 Voyager
0846 Caramel Jazz Oak
5173 Barrique Oak
0870 Dark Honey Marvel Walnut
0901 Dark Rainbow Rosewood
0824 Brown Bistro Oak
0932 Akro Terra
5171 Polar Oak
0868 Caramel Marvel Walnut
0923 Enigma
0125 Eiche Natur
0931 Akro Almond
0927 Creek
0924 Taurus
0922 Amazon
0803 Tyrol Pine
0426 Loft
0421 Venus
0496 Colosseum
0162 Afro Sahara
0161 Light Afro
0160 Dark Afro
0169 Akro Ruby
0168 Akro Rust
0601 Sun Pear
0394 Moonwalk
0497 Stonehenge
0861 Grey Eclipse Quartzstone
0027 Prado Agate Grey
0793 Patina Tin
0026 Prado Alu Grey
0808 Desert Rose Sandstone
0406 Rockstar
0805 Cosmopolis
0799 Blackjack
0804 Metropolis
0159 Afro Black
0386 Blues
0798 Tambora
0603 Ardens
0794 Patina Bronze
0028 Prado Brown
0429 Corro
0158 Afro Grey
0894 Black Pearl Concrete
0428 Cave
0898 Porto Nero Slate
0902 Black Stingray Limestone
0903 Urban Galaxy Limestone
0860 White Blizzard Quartzstone
0427 Skyline
0897 Grey Cliffhanger Slate

3 Products

Everything Max Compact Exterior can do


Max Compact Exterior panels are thermoset high-pressure laminates (HPL) that meet the requirements of EN 438-6, type EDF, and are produced in high-pressure lamination presses at high temperature.

Dual-cure acrylic polyurethane resin ensures highly effective weather protection, making it particularly well suited to balcony and facade cladding.

For extreme weather and environmental conditions*


highly weather-resistant


optimally lightfast


dual-cure


scratch-resistant


impact-resistant

Design freedom and efficiency



Large range of decorative finishes


Design using CNC systems


Cost savings—5 sizes, little waste

Installation and Maintenance


Quick installation



Decor on both sides


Easy to clean


Resistant to solvents

* Standard and actual values: www.fundermax.com

Composition of Max Compact Exterior Panels



The 'Biobased Product' label highlights biobased materials that contain a significant proportion of biomass by certifying their content of biobased materials.

A minimum proportion of biobased material is defined for each product family (60% for facade cladding).

FSC certification guarantees the origin and traceability of timber and paper products with a minimum amount of timber.

Certified products come from sustainable, socially responsible, and economically viable forestry management along the entire supply chain.


PEFC certification guarantees the origin and traceability of timber and paper products with an obligation for improvement.

Certified products come from sustainable forestry management that respects biodiversity and the vitality of ecosystems.

Max Compact Exterior F Quality

A high-quality construction product bearing the CE label for use as durable balcony and facade cladding. The panels are thermoset high-pressure laminates (HPL) that meet the requirements of EN 438-6, type EDF, with the most effective weather protection thanks to dual-cure acrylic polyurethane resin.

Exterior 2.3 Essential



Surfaces*

- NT

Sizes**

- 2,800 x 1,300 mm = 3.65 m²
- 4,100 x 1,300 mm = 5.33 m²
- 3,670 x 1,630 mm = 5.98 m²
- 2,800 x 1,854 mm = 5.19 m²
- 4,100 x 1,854 mm = 7.60 m²

Thicknesses

Thickness	Tolerance (EN 438-6, 5.3)
• 2.0 mm	± 0.2 mm
• 4.0 mm	± 0.3 mm
• 6.0 mm	± 0.4 mm
• 8.0, 10.0 mm	± 0.5 mm
• 12.0, 13.0 mm	± 0.6 mm


Core

- F Quality
- Flame-retardant
- Brown colour


* For the best possible appearance of the facade cladding, installation on an aluminum subframe is recommended. Timber is advised against, as an uneven surface can lead to a wavy appearance.

** Panel sizes with tolerances of +10–0 mm (EN 438-6, 5.3) are standard sizes—if absolute size and angle precision is required, cutting around all sides is recommended. Depending on the cut, the net measurement reduces by approx. 10 mm.

Options




Max Compact Exterior F Quality
Max Compact Exterior panels are supplied with decors on both sides as standard. The core is made to be flame-retardant, the surface is lightfast, and the dual-cure resin is extremely weather-resistant.
(Fire Test EN 13501-1, B-s2, d0)



Composite elements
To fabricate composite elements, the Max Compact Exterior F-Quality panels can also be supplied with reverse side sanded.

Max Compact Elements



Machining Service
Fundermax offers the option of cutting the panels and CNC machining. Using state-of-the-art systems, virtually all requirements can be fulfilled, from simple hole drilling for mounting facade panels to intricate machining for balcony components.

Consultation

Make the most of our architect consultation service and the extensive track record of our application technology. Certifications, approvals, BIM objects, and technical information can be found in the Downloads section on our website. Materials and decorative samples can be ordered from our website around the clock.

Tip

For a consistently light design for the interior of balconies, Max Compact Exterior panels can also be made with a white (reverse) side (0890 NT – Balkonweiss). The combination of different decors means the stated fixing distances should be reduced by at least 15%.



Max Compact Exterior—physical data and approvals

Properties	Testing method	Assessment	Standard value[1]	Typical value[2]
Lightfastness and weather resistance (NT)				
Resistance to artificial weathering*	EN 438-2:2016, Section 29, 3000 h	Contrast: Gray scale Appearance: Degree	Contrast: ≥ 3 Appearance: ≥ 4	Contrast: 4–5 Appearance: 5
Resistance to UV rays*	EN 438-2:2016, Section 28	Contrast: Gray scale Appearance: Degree	Contrast: ≥ 3 Appearance: ≥ 4	Contrast: 4–5 Appearance: 5

Properties	Testing method	Unit of measurement	Standard value[1]	Typical value[2]
Mechanical properties				
Bulk density	DIN 52328 / EN ISO 1183	g/cm3	≥ 1.35	1.44
Flexural strength	EN ISO 178	MPa	≥ 80	Crosswise: 105 Lengthwise: 170
Flexural modulus	EN ISO 178	MPa	≥ 9,000	Crosswise: 11,000 Lengthwise: 16,000
Tensile strength	EN ISO 527-2	MPa	-	Crosswise: 95 Lengthwise: 140
Resistance to impact with a large ball	EN 438-2:2016, Section 21	mm	≤ 10	5–6
Thermal properties				
Resistance to moisture	EN 438-2:2016, Section 15	%	Mass increase ≤ 8	2
Dimensional tolerance at high temperature	EN 438-2:2016, Section 17	%	Lengthwise: ≤ 0.30 Crosswise: ≤ 0.60	Lengthwise: 0.08 Crosswise: 0.16
Coefficient of thermal expansion	DIN 52328	1/K		18 x 10 -6
Thermal conductivity		W/mK		0.3
Water vapor diffusion resistance				approx. 17,200 µ
Building material classes				
Europe building material class	EN 13501-1	MA39-VFA Vienna	Euroclass B-s2, d0 for 6–13 mm**	
Austria facade fire testing	ÖNORM B 3800-5	MA39-VFA Vienna	tested panel thicknesses 8–13 mm	
Fire resistance test balcony floor Podio Austria	EN 1365-2	MA39-VFA Vienna	R30 for thickness 20mm	
Switzerland building material class	EN 13501-1	MA39-VFA Vienna	Euroclass B-s2, d0 for 6–13 mm[2]	
France building material class	NFP 92501	LNE	M1 for 2–10 mm	
Spain building material class	UNE 23727-90	LICOF	M1 for 6–10 mm	
Poland building material class	PN-B-02867:2013-06	Instytut Techniki Budowlanej	NRO for 6 - 10 mm mechanical visible/invisible fixing NRO for 8 - 10 mm invisible glued fixing	
Approvals				
Germany facade approval		Deutsches Institut für Bautechnik, Berlin	6, 8, 10 mm, Approval no. Z-10.3-712	
ETB guidelines for components that protect against falling, from 6/1985 balcony railings		TU Hanover	present (depending on building regulations and railing construction, 6, 8, 10, or 13 mm panel thickness)	
France Avis technique		CSTB	6, 8, 10, and 13 mm, timber and metal subframe, approval No. 36-87 2/16-1749 No. 36-106 2.2/14-1623_V1 No. 36-125 2.2/13-1565_V2 No. 36-125 2.2/21-1809_V1 No. 36-125 2.2/16-1716 No. 36-29 ATT-20/013_V1 No. 26-29 ATT-20/014_V1	
WinMark UK		Wintech	A10114	

For the NT surface, a gloss level tolerance of +/-5 GE is measured at 60°. With regard to colour tolerance, the ÖFHF (www.oefhf.at) Tolerances data sheet dated 16 January 2017 applies.

1) In accordance with EN 438-6
2) Typical values are given as an example only and may not be consulted in the case of any possible liability of Fundermax (they are not confirmed, guaranteed values). Fundermax only guarantees compliance with standard values.

* Custom decorative printing: artificial weathering EN ISO 4892-2: 3,000 h; Assessed based on the gray scale EN 20105-A02: 3
** The exception is the Podio balcony flooring panel, Euroclass B-s2,d0 (6–20 mm)

Other and up-to-date tests and approvals can be found in the Downloads section on www.fundermax.com.
Please take into account any currently valid building regulations; we accept no liability in this regard.
Please check whether your construction project complies with the requirements to effectively restrict the spread of fire (e.g., Austria: OIB RL 2, Germany: Model Administrative Provisions – Technical Building Rules, MVV TB, etc.)
This brochure is intended for specialists who are trusted to adhere to the relevant standards, technical regulations, legal requirements, and relevant guidelines relating to building products. Rules have been painstakingly revised, however, we would like to point out that responsibility for proper planning always lies with the planner, and responsibility for correct installation lies with the contractor.

4 Fundermax Individual Solutions


Application Engineering

Fundermax has been producing compact panels in Austria for over 50 years. During this time, we've advised and worked with business partners on countless projects. We collaborate with all major system partners in the field of ventilated facades and balconies, and in doing so are constantly expanding our knowledge, which we're then happy to put into the planning and realization of your project. Our experts in the area of building approval and certification deal with ensuring all relevant certifications are up to date and new ones are added. Furthermore, through our in-house services for cutting and CNC machining, we have links with all prominent tool suppliers so that we can give you the best possible advice when it comes to machining.


Application Engineering services




Handling compact panels



Machining compact panels




Mounting options for compact panels



Installation of compact panels



Certifications and approvals



BIM objects and CAD details



Support and email contact

For you to create—Maximum design possibilities with Fundermax Exterior

Facades are a critical architectural element, giving a building its symbolic expression and conveying the intention of the architect. At the same time, they serve as a backdrop for the public space and urban life.

With its huge range of highly weather-resistant and optimally lightfast colours, decors, and surfaces, the Fundermax Exterior collection allows for an extremely broad spectrum of design possibilities. Fundermax custom printing offers maximum design freedom, as well as the option of choosing any shape and machined engraving, which can be designed using modern CNC systems.



4 01 Project: Detached house for Sarka Kata
Client: Sarka Kata
Design: Toth Project
Designer: László Tóth


Alejandro Prieto, Mimi Oldenhave in Journal of Façade Design & Engineering Volume 9 / Number 2 / 2021 / Page 22

Custom printing

With Fundermax custom printing, everyone has the freedom to design facades, balconies, and other external features that are creative and unique. Your design can either be applied to individual panels, or—as in the example shown—across several panels. This is the ideal option for large-scale images and visual impact.







4 02 Project: Fa. Hauk factory, Czech Republic
Client: Hauk s.r.o
Design: graphite studio s.r.o
Designers: Klára Maršíčková, Tomáš Buble

Fa. Hauk factory

The new factory is a contrast to the original neo-classical facade of the Vilém Pelly spinning building, which had to be torn down after a major fire in 2020. The historic spinning building was a landmark in the town for more than a century.

The task of Graphite Studio was to give the large new, functional facade of the factory a human scale.


The unique and personalized design suits the surroundings of the site and includes diamond shapes in reference to the company logo. A total of 538 digitally printed Fundermax panels were used to create the whole external facade.

Contact and support
Individual.Druck@fundermax.biz

Scan here to view the custom decor data sheet

Fundermax custom decor options

A) As panel



B) Cut and numbered in preparation for installation

On request and using our in-house Compact Elements machining service, we're able to supply Fundermax custom printed panels ready for installation: cut, numbered, and sorted according to your requirements.

Find out more via this **QR code** or at www.fundermax.com

Design freedom for facade layout and surface design


Thanks to modern CNC systems, it is possible to design creative facade layouts and add accents using machined engraving. Fundermax Exterior panels are uniform in their composition, so sealing the edges isn't required.

Make use of our decades of experience in the machining of compact panels and order your project so that it's pre-sorted and ready for installation.

Compact Elements by Fundermax services




Pre-sorted and labeled according to construction phase



Pre-sorted, labeled, and palletized ready for installation



CNC surface design




Machining compact panels

Advantages

- No personal risk when cutting
- Precision machining results
- Can be delivered without offcuts on request, reducing workload when closing down the construction site
- Numbering, palletizing, and sorting in preparation for installation makes construction site logistics easier and saves space












4 03 Facade layout
Project: Aquapark
4 04 Facade layout
Project: Construction of School
4 05 Facade layout
Project: Eurospar St. Valentin
4 06 Facade layout
Project: Veganista









4 07 Openings and engraving
Project: Cinema
4 08 Openings and engraving
Project: McDonald's Batumi
4 09 Openings and engraving
Project: Detached house
4 10 Openings and engraving
Project: Music school

5 Exterior Pro Collections

Exterior Pro 2.3 Surface

Exterior 2.3 | Essential offers maximum choice of decors and maximum efficiency with the NT surface.

For designs with surface textures and visual effects, you'll find a selection of Exterior 2.3 | Essential decors with the Gloss, Sky, and Paragon surfaces in the **Exterior Pro 2.3 | Surface** collection.

Exterior Pro 2.3 | Surface



NG Gloss



NP Paragon



NY Sky

NG Gloss

Combined with solid colours, the impact of NG Gloss is bold and expressive, while with wood and other material effects, it is exclusive and elegant. The surroundings are incorporated into the design through the high reflectivity of the surface, adding to its appeal.



NY Sky

Convincing depth effect and pleasant feel—this texture is spirited, raw, and natural, and complements the range of surfaces perfectly.



NP Paragon

This matte surface with anti-finger print technology is calming and self-assured. This is highlighted by the pleasant and high-value feel of NP Paragon.



Exterior Pro 2.2 Podio

Weatherproof, slip-resistant and scratch-resistant, these are just a few criteria that our specially developed balcony panel Max Compact Exterior Podio with Hexa surface meets. Due to the easy installation by screwing or gluing as well as the slip resistance according to R10 DIN 51130 and DIN 51097 it is perfectly suitable for balconies, stairs and landings. Because of the selection of different decors, the plate leaves nothing to be desired.

Exterior Pro 2.2 | Podio



Exterior Pro 2.2 Authentic

Each decor of the Authentic Collection is available in three surface finishes:

- NT
- NY
- NH

Exterior Pro 2.2 | Authentic

Lovers of brown and natural tones can now enjoy three completely new decors, all part of the Authentic Natura (AUTN) family.

Authentic Mocca

Sometimes stronger, milder, darker, lighter—all in all, Authentic Mocca is a more than tasteful composition.

Authentic Pecan

With pecans, the treasured content is protected by a resistant shell. The same is true of a building's interior and facade. By using "Authentic Pecan" an aesthetically pleasing look can be achieved.

Authentic Caramel

Facades in a "salted caramel look" range from golden yellow to honey brown. This decor was inspired by the widely loved caramel candy with its different shades of colour.

AU01 Authentic Mocca



AU02 Authentic Pecan



AU03 Authentic Caramel



Exterior 2.3 Essential

Delivery programme / valid from April 2023

For you to create

Fundermax

Exterior 2.3 Essential
(from April 2023)

Collection	Exterior 2.3 | Essential					Pro 2.3 | Surface	Podio, Hexa	m.look[39]	Decor on rear side[1]	Decor direction	*New for 2023*	Compact Interior
Quality	F					F	F	A2				
Format (mm)	2800x1300mm	4100x1300mm	2800x1854mm	4100x1854mm	3670x1630mm	4100x1300mm	4100x1854mm	3580x 1580mm				
Thickness (mm)	2.0 | 4.0 6.0 | 8.0 | 10.0 12.0 | 13.0	2.0 | 4.0 6.0 | 8.0 | 10.0 12.0 | 13.0	2.0 | 4.0 6.0 | 8.0 | 10.0 12.0 | 13.0	2.0 | 4.0 6.0 | 8.0 | 10.0 12.0 | 13.0	2.0 | 4.0 6.0 | 8.0 | 10.0 12.0 | 13.0	6.0 | 8.0 | 10.0 12.0 | 13.0	6.0 | 8.0 | 10.0 12.0 | 13.0 16.0 | 18.0 | 20.0	7.0 | 9.0 | 12.0				
Core	brown	brown	brown	brown	brown	brown	brown	grey				

Decor type	Decor no.	Decor name	Nearest NCS Code[3] / Type of wood	NT[6]	NT[6]	NT	NT	NT	NG, NP, NY[22,4,5]	NH / NT	NT				
U	0020	Ballerina	S 3020-Y90R	○	○	○	○	○				X	N	❁	∴
M	0026	Prado Alu Grey		○	○	○	○	○			○	X	L		∴
M	0027	Prado Agate Grey		○	○	○	○	○		○	○	X	L		∴
M	0028	Prado Brown		○	○	○	○	○		○		X	L		
U	0056	Atlantis	S 3040-B40G	○	○	○	○	○		○		X	N		
U	0059	Dark Green	S 5020-G	○	○	○	○	○		○		X	N		
U	0065	Ivory	S 0510-Y20R	○	○	○	○	○		○		X	N		
U	0066	Sand	S 1505-Y20R	○	○	○	○	○		○[8]		X	N		∴
U	0070	Carbon Grey	S 7502-B	○	○	○	○	○	NG, NP	○		X	N		
S	0070 + G	Carbon Grey + Glitter		○	○				NG, NP, NY			X	R		
U	0071	Fresko	S 2005-Y50R	○	○	○	○	○				X	N	❁	∴
U	0073	Pale Ivory	S 0505-G90Y	○	○	○	○	○		○		X	N		
U	0074	Pastel Grey	S 2500-N	○	○	○	○	○	NG, NP	○[8]		X	N		∴
S	0074 + G	Pastel Grey + Glitter		○	○				NG, NP, NY			X	R		
U	0075	Dark Grey	S 5000-N	○	○	○	○	○	NG, NP	○[8]		X	N		∴
U	0077	Charcoal	S 7502-R	○	○	○	○	○	NG, NP	○		X	N		∴
U	0080	Black	S 9000-N	○	○	○	○	○	NG, NP	○		X	N		∴
S	0080 + G	Black + Glitter		○	○				NG, NP, NY			X	R		
U	0081	Alpaka	S 2010-Y20R	○	○	○	○	○				X	N	❁	∴
U	0085	White	S 0502-G50Y	○	○	○	○	○	NG, NP, NY	○		X	N		∴
U	0091	Starlight	S 0502-R50B	○	○	○	○	○	NG, NP, NY	○		X	N		
U	0098	Mandola	S 3010-Y20R	○	○	○	○	○				X	N	❁	∴
H	0125	Eiche Natur	Eiche	○	○	○	○	○			○	X	L	❁	∴
U	0144	Costa	S 3005-Y20R	○	○	○	○	○		○[8]		X	N	❁	∴
U	0153	Burano	S 6010-Y30R	○	○	○	○	○				X	N		∴
M	0158	Afro Grey	Bambus	○	○	○	○	○		○	○	X	L		
M	0159	Afro Black	Bambus	○	○	○	○	○		○	○	X	L		
H	0160	Dark Afro	Bambus	○	○	○	○	○		○		X	L		
H	0161	Light Afro	Bambus	○	○	○	○	○		○	○	X	L		
H	0162	Afro Sahara	Bambus	○	○	○	○	○		○		X	L		
H	0168	Akro Rust	Bambus	○	○	○	○	○		○		X	L		
H	0169	Akro Ruby	Bambus	○	○	○	○	○		○		X	L		
U	0237	Gentian Blue	S 5040-R80B	○	○	○	○	○	NG	○		X	N		∴
M	0386	Blues		○	○	○	○	○		○	○	X	L		
M	0394	Moonwalk		○	○	○	○	○	NY	○		X	L		
M	0406	Rockstar		○	○	○	○	○	NY	○		X	L		
M	0421	Venus		○	○	○	○	○	NY			X	L		
M	0426	Loft		○	○	○	○	○	NY	○	○	X	L		
M	0427	Skyline		○	○	○	○	○	NY	○[8]	○	X	L		
M	0428	Cave		○	○	○	○	○				X	L		
M	0429	Corro		○	○	○	○	○		○	○	X	L		
M	0496	Colosseum		○	○	○	○	○	NY			X	L		
M	0497	Stonehenge		○	○	○	○	○	NY	○	○	X	L		
U	0591	Fir Green	S 7020-B90G	○	○	○	○	○		○		X	N		
U	0592	Kiwi Green	S 1015-G40Y	○	○	○	○	○		○		X	N		
H	0601	Sun Pear	Birne	○	○	○	○	○		○		X	L		
M	0603	Ardens		○	○	○	○	○		○		X	R		
U	0617	Petrol Green	S 6020-B30G	○	○	○	○	○		○		X	N		
U	0623	Green	S 4040-G10Y	○	○	○	○	○		○		X	N		
U	0627	Hygienic Beige	S 2010-Y40R	○	○	○	○	○		○		X	N		
U	0631	Turquoise	S 6020-B10G	○	○	○	○	○		○		X	N		
U	0645	Tobacco	S 4020-Y30R	○	○	○	○	○		○		X	N		
U	0647	Golden Yellow	S 1050-Y10R	○	○	○	○	○		○		X	N		
U	0651	Cream	S 0907-Y50R	○	○	○	○	○		○		X	N		
U	0654	Jasmin	S 1515-Y20R	○	○	○	○	○		○		X	N		
U	0657	Sepia Brown	S 8010-Y50R	○	○	○	○	○		○		X	N		
U	0661	Terracotta	S 4040-Y80R	○	○	○	○	○		○		X	N		
U	0662	Jade Green	S 4010-G30Y	○	○	○	○	○		○		X	N		
U	0663	Reseda Green	S 1510-G20Y	○	○	○	○	○		○		X	N		
U	0674	Mars Red	S 1580-Y90R	○	○	○	○	○	NG	○		X	N		
U	0680	Wine Red	S 5040-R10B	○	○	○	○	○		○		X	N		
U	0687	Maize	S 0520-Y20R	○	○	○	○	○		○		X	N		
U	0689	Dark Red	S 2570-Y80R	○	○	○	○	○		○		X	N		
U	0691	Purple	S 5040-Y90R	○	○	○	○	○		○		X	N		
U	0702	Night Blue	S 8010-R70B	○	○	○	○	○		○		X	N		
U	0703	Dove Blue	S 3020-B10G	○	○	○	○	○		○		X	N		
U	0706	Glacier Blue	S 2010-B	○	○	○	○	○		○		X	N		
U	0712	Steel Blue	S 4030-B	○	○	○	○	○		○		X	N		
U	0717	Atlantic	S 2060-R90B	○	○	○	○	○	NG	○		X	N		∴
U	0725	Yellowish Green	S 1060-G60Y	○	○	○	○	○	NG	○		X	N		∴
U	0733	Hygienic White	S 0804-Y30R	○	○	○	○	○		○		X	N		∴
U	0736	Saffron	S 1050-Y20R	○	○	○	○	○		○		X	N		
U	0741	Birch Grey	S 2002-G50Y	○	○	○	○	○		○		X	N		∴
U	0742	Pebble Grey	S 1002-Y	○	○	○	○	○	NG, NP, NY	○		X	N		∴
U	0747	Medium Grey	S 4502-Y	○	○	○	○	○		○		X	N		∴
U	0753	Cool Grey Medium	S 3502-B	○	○	○	○	○		○		X	N		∴
U	0762	Natural Grey Medium	S 4000-N	○	○	○	○	○				X	N	❁	∴
U	0768	Sparrow	S 6005-Y20R	○	○	○	○	○		○		X	N		
U	0776	Concrete Grey	S 4005-B20G	○	○	○	○	○		○		X	N		
M	0793	Patina Tin		○	○	○	○	○	NY			X	L		
M	0794	Patina Bronze		○	○	○	○	○	NY			X	L		∴
M	0798	Tambora		○	○	○	○	○		○	○	X	L		
M	0799	Black Jack		○	○	○	○	○	NY	○	○	X	L		
H	0801	Fir Platinum	Fichte	○	○	○	○	○				X	L		
H	0803	Tyrol Pine	Kiefer	○	○	○	○	○		○		X	L		
M	0804	Metropolis		○	○	○	○	○		○		X	L		
M	0805	Cosmopolis		○	○	○	○	○		○		X	L		
M	0808	Desert Rose Sandstone		○	○	○	○	○	NY			X	L	❁	
H	0820	Hazel Heritage Oak	Eiche	○	○	○	○	○				X	L	❁	
H	0824	Brown Bistro Oak	Eiche	○	○	○	○	○				X	L	❁	
H	0846	Caramel Jazz Oak	Eiche	○	○	○	○	○				X	L	❁	
H	0847	Smoked Jazz Oak	Eiche	○	○	○	○	○				X	L	❁	
U	0849	Frosted Green	S 3020-G30Y	○	○	○	○	○				X	N	❁	
U	0850	Green Valley	S 4050-G30Y	○	○	○	○	○	NG			X	N	❁	
U	0851	Winter White	S 0505-Y30R	○	○	○	○	○		○		X	N		∴
M	0860	White Blizzard Quartzstone		○	○	○	○	○	NY			X	L	❁	
M	0861	Grey Eclipse Quartzstone		○	○	○	○	○	NY			X	L	❁	
U	0864	Mustard	S 2060-Y10R	○	○	○	○	○	NG, NP			X	N	❁	
U	0865	Lemon	S 0580-Y	○	○	○	○	○	NG			X	N	❁	
H	0868	Caramel Marvel Walnut	Nussbaum	○	○	○	○	○	NP			X	L	❁	
H	0869	Smoked Marvel Walnut	Nussbaum	○	○	○	○	○	NP			X	L	❁	
H	0870	Dark Honey Marvel Walnut	Nussbaum	○	○	○	○	○	NP			X	L	❁	
U	0873	Red Pepper	S 4550-Y70R	○	○	○	○	○	NG, NP			X	N	❁	
U	0874	Maroon	S 7020-Y90R	○	○	○	○	○	NG, NP			X	N	❁	
U	0875	Chocolate Brownie	S 8010-Y90R	○	○	○	○	○				X	N	❁	
U	0887	Dark Offroad Greige	S 7005-Y20R	○	○	○	○	○	NG, NP			X	N	❁	
M	0894	Black Pearl Concrete		○	○	○	○	○	NY			X	R	❁	
M	0897	Grey Cliffhanger Slate		○	○	○	○	○	NY			X	R	❁	
M	0898	Porto Nero Slate		○	○	○	○	○	NY			X	R	❁	
U	0900	Dark Cyber Grey	S 7500-N	○	○	○	○	○	NG, NP			X	N	❁	
H	0901	Dark Rainbow Rosewood	Exot	○	○	○	○	○				X	L	❁	
M	0902	Black Stingray Limestone		○	○	○	○	○	NY			X	R	❁	
M	0903	Urban Galaxy Limestone		○	○	○	○	○	NY			X	R	❁	
H	0907	Graphite Flagship Oak	Eiche	○	○	○	○	○	NP			X	L	❁	
H	0908	Grey Flagship Oak	Eiche	○	○	○	○	○	NP			X	L	❁	
H	0909	Brown Flagship Oak	Eiche	○	○	○	○	○	NP			X	L	❁	
H	0919	Ecuador	Exot	○	○	○	○	○				X	L		
H	0922	Amazon	Exot	○	○	○	○	○		○		X	L		
H	0923	Enigma	Eiche	○	○	○	○	○				X	L		
H	0924	Taurus	Eiche	○	○	○	○	○		○		X	L		
H	0925	Butterfly	Splint	○	○	○	○	○				X	L		
H	0927	Creek	Lärche	○	○	○	○	○		○		X	L		
H	0931	Akro Almond	Bambus	○	○	○	○	○		○	○	X	L		
H	0932	Akro Terra	Bambus	○	○	○	○	○		○	○	X	L		
H	0935	Voyager	Eiche	○	○	○	○	○				X	L		
H	0936	Thunder	Exot	○	○	○	○	○				X	L		
U	1203	Grey	S 2000-N	○	○	○	○	○				X	N	❁	∴
U	2206	Fango	S 4005-Y50R	○	○	○	○	○	NG, NP			X	N	❁	∴
U	2289	Tortora	S 1505-Y40R	○	○	○	○	○	NG, NP			X	N	❁	∴
U	3003	Rubinus Red	S 2570-R	○	○	○	○	○		○		X	N		
U	3007	Black Red	S 8010-R10B	○	○	○	○	○		○		X	N		
U	5000	White Avalanche	S 0502-G50Y								○	X	N		
U	5001	Ice Silver	S 1502-B								○	X	N		
U	5002	Smoke	S 2502-Y								○	X	N		
U	5003	Charcoal Grey	S 5500-N								○	X	N		
U	5030	Truffle	S 8010-Y70R								○	X	N		
U	5031	Hazel	S 6030-Y40R								○	X	N		
U	5032	Cinnamon	S 3560Y30R								○	X	N		
U	5070	Poseidon	S 3060-B10G								○	X	N		
U	5071	Neptun	S 2040-B10G								○	X	N		
U	5090	Deep Ocean	S 6035-B60G								○	X	N		
U	5091	African Clay	S 7020-Y10R								○	X	N		
U	5092	Blue Mountain	S 7020-B10G								○	X	N		
U	5110	Ginger	S 1015-Y10R								○	X	N		
U	5111	Curry	S 1070-Y10R								○	X	N		
U	5113	Curcuma	S 1070-Y								○	X	N		
M	5150	Yellowstone									○	X	L		
M	5152	Black Slate									○	X	L		
U	5032	Cinnamon	S 3560-Y30R	○	○	○	○	○		○		X	N		
H	5171	Polar Oak	Eiche	○	○	○	○	○		○[8]		X	L		
H	5172	Marshland Oak	Eiche	○	○	○	○	○		○	○	X	L		
H	5173	Barrique Oak	Eiche	○	○	○	○	○		○	○	X	L		
I	P----	Custom decor		○[28]	○[28]							0891	R		

Delivery options
○ = according to current delivery times
∴ = Decor also available as Compact Interior. For details, see the Compact Interior delivery programme.
)6 = All Colour decors can also be supplied as Metallic (Dualis Overlay Glitter).
)7 = Exterior surfaces NT, NG, NH can also be supplied with 0890 Balkonweiss on the reverse side, m.look can be supplied with 5000 Avalanche on the reverse side.
)8 = This decor is available in panel thicknesses of 16, 18, and 20 mm, and in other dimensions. For details, see the Exterior Podio delivery programme.
)9 = All m.look decors can also be supplied as Compact Exterior F Quality, NT surfaces, and in XL format. Due to different types of material minor color differences are possible.
Unless otherwise stated, 2 mm panels are supplied with a reverse side sanded.
4 mm panels can be supplied with decor on both sides or with a reverse side sanded.
Protective film + NT surfaces can be supplied with a protective film for an additional charge.
The NY and NH surfaces are always supplied without protective film. The NG and NP surfaces have protective film on both side.

Notes
)1 = Details on RAL and CMYK colour systems can be found on our website: www.fundermax.com
)2 = Front side/reverse side surfaces: NG:NG/NG | NP:NP/NT | NY:NY/NT | NH:NH/NT (NY and NH are supplied with NT on the top).
)3 = All Colour NG decors are also available as Metallic (Dualis Overlay Glitter).
)4 = NP surface: be sure to follow the same direction when installing. (Turning by 90° or 180° can lead to visual differences)
)5 = Additional surfaces and decors combinations can be found at www.fundermax.com
)10 = You can find more details on Fundermax custom solutions at: www.fundermax.com
F = Max Compact Exterior F Quality. A2: m.look. For details on fire classes and approvals, see T1 Exterior.
❁ = New decor 2023

Surfaces
NT = NT
NG = Gloss
NY = Sky
NP = Paragon
NH = Hexa

Decor types
U = Colour
H = Nature
M = Material
S = Specials
I = Custom decor

Decor/Decor direction
L = This decor goes in a lengthwise direction.
(Please take into consideration when arranging and cutting.)
N = This decor doesn't have a direction. It can be turned when cutting.
(Not the case for NP surfaces. Please take into consideration the further notes on NP.)
R = This decor goes in a crosswise direction.
(Please take into consideration when arranging and cutting.)
X = Decor on both sides

Fundermax Deutschland GmbH
Mundenheimer Weg 2
67117 Limburgerhof, Germany
infogermany@fundermax.biz
www.fundermax.com

Fundermax France S.a.r.l.
3 Cours Albert Thomas
69003 Lyon, France
T +33 (0)4 78 68 28 31
infofrance@fundermax.biz
www.fundermax.com

Fundermax India Pvt. Ltd.
Sy. No. 7, Honnenahalli, Doddballapur Road,
Yelahanka Hobli, Bangalore – 560064, India
T +96113 99211
officeindia@fundermax.biz
www.fundermax.in

Fundermax Italia s.r.l.
Viale Venezia 22
33052 Cervignano del Friuli, Italy
infoitaly@fundermax.biz
www.fundermax.com

Fundermax North America, Inc.
9401-P Southern Pine Blvd.
Charlotte, NC 28273, U.S.
T +1 980 299 0035
office.america@fundermax.biz
www.fundermax.us

Fundermax Polska Sp. z o.o.
ul. Rybitwy 12
30-722 Kraków, Poland
T +48 (0)12 65 34 528
infopoland@fundermax.biz

Fundermax Swiss AG
Industriestrasse 38
5314 Kleindöttingen, Switzerland
T +41 (0)56 268 83 11
infoswiss@fundermax.biz
www.fundermax.com

4/23-PR.101.EN.WEB

Fundermax GmbH
Klagenfurter Straße 87–89, 9300 St. Veit/Glan, Austria
T: +43 (0)5 9494-0, F: +43 (0)5 9494-4200
office@fundermax.at
www.fundermax.com

MEMBER OF *Constantia* INDUSTRIES

More than boards.